



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/536,871

02/16/2006

Rolf Brisberger

HM-631PCT

4414

40570

7590

06/22/2009

FRIEDRICH KUEFFNER

317 MADISON AVENUE, SUITE 910

NEW YORK, NY 10017

EXAMINER

TUROCZY, DAVID P

ART UNIT

PAPER NUMBER

1792

MAIL DATE

DELIVERY MODE

06/22/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/536,871	Applicant(s) BRISBERGER ET AL.	
	Examiner DAVID TUROCY	Art Unit 1792	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 21 May 2009.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-11 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-11 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Amendment

1. Applicant's amendments, filed 5/21/2009, have been fully considered and reviewed by the examiner. The examiner notes the amendment to claims 1 and 11. Claims 1-11 remain pending in the instant application.

Response to Arguments

2. Applicant's arguments filed 5/21/2009 have been fully considered but they are not persuasive.

Applicant has argued against the prior art stating the prior art fails to provide a sensor between the inductors and the metal strand. However, the examiner maintains the position that the prior art references, both JP 727 disclose a sensor arranged between the inductor and the metal strip. The mere fact that the sensor is between the inductor and the metal strip for a portion of the length of the inductor is sufficient to read upon this limitations because such is taught by applicant as being within the scope of their claim as written. See applicant's figures, which disclose the sensor only between the metal strip and the inductor at a small portion of the length of the inductors. At the very least, including sensors that are between the inductor and the strip would have been obvious and led to predictable results because JP 727 disclose including sensors between a portion of the inductor and the metal strip and therefore placing the sensor between the strip and the inductor as envisioned by the claims would have led to predictable results.

All other arguments not specifically addressed above are considered not commensurate in scope with the claims or unsupported by any factual evidence and are thus deemed moot.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1, 2, and 7-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over WO 03/076680 by Trakowski et al, hereafter WO '680, in view of JP 10298727, hereafter JP 727 and JP 10-110251, hereafter JP 251.

*** Please note US Patent 7361224 is the patent which issued from the national stage application based on WO 03/076680. This patent is being used as an English translation of WO 03/076680, therefore all references to column and line number are found in 7361224 ***

WO '680 discloses a device for hot dip coating a metal strand (1), especially a steel strip, in which the metal strand (1) is passed vertically through a coating tank (3) that contains the molten coating metal (2) and through a guide channel (4) upstream of the coating tank, with at least two inductors (5) installed on both sides of the metal strand (1) in the area of the guide channel (4) for generating an electromagnetic field in order to keep the coating metal (2) in the coating tank (3) and with at least one sensor for determining the position of the metal strand (1) in the area of the guide channel (4).

Art Unit: 1792

(Column 3-4, figures). WO '680 discloses correction coils for position detection included at the same height as the inductors and including a induction field sensor to determine the position of the position of the strip in the guide channel (figures, column 4). WO '680 discloses sensors for determining the position of the metal strand are induction field sensors and using correction coils that are between the conductors and the strand, but fails to explicitly disclose the sensors are installed within the same height of the inductors as claimed. However, WO 680 discloses a higher frequency with lower powers is superposed on the induction coils and the higher frequency does not effect the normal seal and JP 727 discloses a method for controlling the vibration discloses position detection sensors installed within the height of the electromagnets (see figure, abstract). Therefore, taking the references collectively, it would have been obvious to one of ordinary skill in the art at the time of the invention to have modified WO 680 to include the position sensors which are installed, as viewed in the direction of conveyance of the metal strand within the height of the inductors and between the inductors and the metal strand with a reasonable expectation of success

As for the requirement of the sensor being spaced from the inductors, this is clearly taught by JP 251, which discloses multiple arrangements for sensors for determining placement of the vertical steel strip includes among other things between the inductors and the metal strip and spaced apart from the inductors (see figures 1-5). Therefore, taking the references for all their teachings, it would have been obvious to one of ordinary skill in the art to have modified WO 680 in view of JP 727 to include sensors between the metal strip and the inductor, wherein the sensors are spaced

Art Unit: 1792

apart from the inductors with a reasonable expectation of providing predictable results of control and measurement of the displacement of the metal strip in the guide channel.

Claim 2: WO 680, JP 727 and JP 251 disclose, at figures, the position sensors and the inductors are arranged symmetrically with respect to the center plane of the guide channel.

Claims 7-9: JP 727 and JP 251 discloses including a measuring device and a subtractor in the system (see 6,7 in figures and 0024-0026). Additionally, the examiner notes the claims are directed to the device and the remaining claims are directed to intended use of the structure and It is well settled that the intended use of a claimed apparatus is not germane to the issue of the patentability of the claimed structure. If the prior art structure is capable of performing the claimed use then it meets the claim. *In re Casey*, 152 USPQ 235, 238 (CCPA 1967); *In re Otto*, 136 USPQ 459 (CCPA 1963).

Claim 10: WO '680 discloses several pairs of coils are installed, as viewed in the direction of conveyance of the metal strand, within the height of the inductors and between the inductors and the metal strand (figures).

Claim 11: WO '680 in view of JP 727 and JP 251 discloses all that is taught above, additionally WO '680 discloses the voltages induced in the coils are measured, the difference between the measured voltages is taken, and the resulting value is used to derive an indicator for the position of the metal strand (Column 4, lines 5-23). Additionally, JP 727 and JP 251 discloses computing the deviation of the is measured from the desired value to result in an indicator of the position of the metal strand (0025-0026).

5. Claims 3-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over WO '680, in view of JP 727 and JP 251 and further in view of US Patent 4912407, hereafter US 407.

WO '680 in view of 727 and JP 251 discloses all that is taught above, including inductive sensors for determining the position, however, the references fail to disclose the coils as wire winding, one or more windings, copper coils, or the shape of the coils. However, US 407 discloses a known and suitable method for forming coils for determining position with respect to metal, discloses a displacement sensor includes a copper coil, without a core, with more than 1 circular winding (column 8), therefore taking the references collectively, it would have been obvious to one of ordinary skill in the art at the time of the invention to have modified WO '680 in view of 727 and JP 251 to use the sensors as taught by US 407 with a reasonable expectation of success because such sensors are taught as known and suitable inductive sensors for molten metal and position detection.

Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Us Patent 6194022 discloses attaching the sensors to computer, capable of acting as a measuring and subtractor as required by the claims (see column 3, lines 5-10).WO 01/71051 discloses multiple pairs of coils between the inductor and the metal strip.

7. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to **DAVID TUROCY** whose telephone number is (571)272-2940. The examiner can normally be reached on Monday-Friday 8:30-6:00, No 2nd Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy Meeks can be reached on (571) 272-1423. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1792

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/David Turocy/
Examiner, Art Unit 1792

/Timothy H Meeks/
Supervisory Patent Examiner, Art Unit 1792